



ABOUT US

Jay Mano Industries is a leading supplier of roofing, prefab, building, FRP, interior and exterior products founded in 2015. We do not only supply highquality products but also the best solutions and services. Jay Mano Industries is known among its clients for the purpose of manufacturing, supplying and exporting the best quality of roofing, prefab, building, FRP, interior and exterior products.

Jay Mano Industries is extremely proud to announce that we have ISO 9001:2015 and ISO 14000:2015 certifications. Our products are mainly used for industrial sheds, factories, chemical and pharmacy applications, corporate projects, warehouses, houses, farms and farm storage, parking lots, public utility places like railway stations and numerous other site applications.

Whatever your industry, our experts assist in finding optimal solutions through competent advice. With the latest technology and a passion for innovation, our experts are leading the way in developing solutions geared to the demands of the future. We challenge our way of thinking in order to optimize our processes and products, to create added value and advantages for new and existing customers. The world is changing an ever-increasing focus on sustainability is placing new demands on innovation. We see this change as a matter of taking proactive responsibility for action where it can be taken.

CERTIFICATE





OUR COMMITMENT 50+ PROJECT COMPLETED 100+

EXPERIENCE

ROOFING SPECIFICATION

JMI Profile are made from high tensile steel sheets coated with 55% Aluminum, 43.5% Zinc & 1.5% Silicon Alloys. JMI Profile made of Indian Ultra shine Company with XL Size 4 Feet Width Sheets so jsw colour coated roofings in Vadodara.

BARE GALVALUME (JSW)

- Colour
- Natural Silver
- Coating
- AZ150
- Base Material ASTMA792M Grade Class I (Max. 550 MPa YS)

PRE-PAINTED (PPGL – JSW)

- Colour
- Any RAL Color
- Coating
- AZ150
- Base Material ASTMA792M Grade Class I (Max. 550 MPa YS)
- Colour Coating T/C 18-20 Micron

PRE-PAINTED (PPGI) ULTRASHINE XL

- Colour
- Any RAL
- Color Coating 120 GSM with Guard Film
- Base Material - ASTMA792M Grade Class I
 - (Max. 550 MPa YS)
- Colour Coating T/C 18-20 Micron

NOTE: : GUARANTEE AND WARRANTEE


We are doing profiling job as the coil. we are buy from branded company so the Guarantee and warrantee will be given by coil supplier only, We are not given Guarantee and warrantee for the product as there is always excepted life for roofing product, we will give you test certificate copy along with material which will given buy our coil supplier.



ROOFING SHEET

PPGI / PPGL Roofing Sheet





AVAILABLE BRAND







COLOR COATED ROOFING SHEET

Leveraging on our years of experience we offer Colour Coated Roofing Sheet. These products are widely used in various places throughout the globe. Our offered range is manufactured using quality-tested material at our vendors end. Available in numerous specifications, these sheets can be customized to meet the specific requirements of our clients

• PPGI - Pre Painted Galvalume Sheet • PPGL - Pre Painted Galvalume Sheet • BGL - Bare Galvalume Sheet • Thickness - 0.3 mm to 0.8 mm

AVAILABLE COLORS



LIGHT

BLUE







GREEN





GRAY

BRICK

RED







BLUE

ROOFING ACCESSORIES

















NLC

CRIMPED SHEET

ROOF RIDGE

RIDGE FLASHING

BARGE BOARD **FLASHING**

CORNER FLASHING

GABLE WALL FLASHING








VALLEY GUTTER









APPRON **FLASHING**

EAVES FLASHING

TOP FLASHING

L TYPE FLASHING

EAVES GUTTER

BOTTOM FLASHING

Z & C PURLIN

These type of purlins are most unique cold roll-formed sections used to fix roof and side claddings. The advantage of using these purlins is that unlimited depth and thickness option gives the designer the required freedom to design the most economical purlin. Minimum yield strength of these purlins will be 245-550 Mpa which enables designer to design lightweight purlin.

Thickness:

1.5mm to 3mm



Z PURLIN

THICKNESS : 1.5mm to 3mm HEIGHT

120 - 300MM WIDTH 50 - 100MM

ANY CUSTOMISE LENGTH




C PURLIN

THICKNESS : 1.5mm to 3mm HEIGHT

50 - 300MM WIDTH

30 - 100MM LENGTH

ANY CUSTOMISE LENGTH



OUR CLIENT



































ADDRESS

Offices: E-64, Ananta swagatam, Nr. Pratham Rivera, B/S, shree Hari Duplex, Bh. Narayan wadi Restorent, Altladara – Bil Road, Vadodara-390012 Vadodara, Gujarat, India

Factory: 355, Horizon Industrial Park, Por-Karjan Highway, Bamangam, Vadodara-391210, Gujarat, India.



Morbi, Gujarat, Ahmedabad, Gujarat


















+91 9033055562 / 84603 44000